

Schedule GS-PAL
GENERAL SERVICE PRIVATE AREA LIGHTING

APPLICABLE

For private area lighting in conjunction with non-Domestic Service. This schedule is closed to new installations.

TERRITORY

Entire Nevada Service Area, as specified.

RATES

Bundled Service

Rate A

For luminaires installed On existing poles:

<u>Mercury Vapor (Rate Code)</u>	<u>Monthly Energy Consumption</u>	<u>Rate Per Lamp</u>	
175 watt 9,625 lumen (10)	73 kWh	\$ 8.64	(R)
400 watt 23,000 lumen (12)	165 kWh	\$12.41	(R)

For any Customer who was served under these rates as of April, 1984 billing period.
The Utility will not accept additional Customers with Mercury Vapor Luminaries.

<u>High Pressure Sodium (Rate Code)</u>	<u>Monthly Energy Consumption</u>	<u>Rate Per Lamp</u>	
100 watt 14,000 lumen (14)	42 kWh	\$ 7.39	(R)
200 watt 28,000 lumen (15)	83 kWh	\$ 9.14	(R)
400 watt 50,000 lumen (18/88)	165 kWh	\$12.40	(R)

Rate B

For luminaires installed on a 30-foot pole:

<u>Mercury Vapor (Rate Code)</u>	<u>Monthly Energy Consumption</u>	<u>Rate Per Lamp</u>	
175 watt 9,625 lumen (11)	73 kWh	\$16.58	(R)
400 watt 23,000 lumen (13)	165 kWh	\$20.34	(R)

<u>High Pressure Sodium (Rate Code)</u>	<u>Monthly Energy Consumption</u>	<u>Rate Per Lamp</u>	
100 watt 14,000 lumen (16)	42 kWh	\$15.33	(R)
200 watt 28,000 lumen (17)	83 kWh	\$17.07	(R)

For any customer who was served under these rates as of the January, 1974 billing period. The Utility will not accept additional Customers where it is necessary to install a pole.

<p>Issued: 09-06-18</p> <p>Effective: 10-01-18</p> <p>Notice No.: 18-03</p> <p>Advice No.: 486</p>	<p align="center">Issued By: Shawn M. Elicegui Senior Vice President</p>	
--	--	--

Schedule GS-PAL
GENERAL SERVICE PRIVATE AREA LIGHTING
(Continued)

RATES (Continued)

Bundled Service (Continued)

Consumption Component of Rates

The above rates include a Base Tariff Energy Rate of (BTER) \$0.04113 per kWh, the Renewable Energy Program Rate (REPR) of \$0.00077 per kWh, the Temporary Renewable Energy Development Charge (TRED) of \$0.00067, the Energy Efficiency Charge (EE) of \$0.00049, the Deferred Energy Accounting Adjustment Rate (See Schedule DEAA), 2017 Tax Rate Reduction Rider (See Schedule TRRR), and the Universal Energy Charge (UEC) of \$0.00039 per kWh (See Special Condition 1).

(R)
(R)
(I)
(I)

Distribution-only Service

Rate A

Rate includes an Interclass Rate Re-Balancing Charge of \$0.02595 per kWh.

For luminaires installed on existing poles:

<u>Mercury Vapor (Rate Code)</u>	<u>Monthly Energy Consumption</u>	<u>Rate Per Lamp</u>
175 watt 9,625 lumen (10)	73 kWh	\$6.04
400 watt 23,000 lumen (12)	165 kWh	\$6.52

For any Customer who was served under these rates as of April, 1984 billing period.
The Utility will not accept additional Customers with Mercury Vapor Luminaries.

<u>High Pressure Sodium (Rate Code)</u>	<u>Monthly Energy Consumption</u>	<u>Rate Per Lamp</u>
100 watt 14,000 lumen (14)	42 kWh	\$5.63
200 watt 28,000 lumen (15)	83 kWh	\$6.18
400 watt 50,000 lumen (18/88)	165 kWh	\$6.44

(Continued)

<p>Issued: 09-06-18 Effective: 10-01-18 Notice No.: 18-03 Advice No.: 486</p>	<p align="center">Issued By: Shawn M. EliceGUI Senior Vice President</p>	
--	--	--

Schedule GS-PAL
GENERAL SERVICE PRIVATE AREA LIGHTING
(Continued)

RATES (Continued)

Distribution-only Service (Continued)

Rate B

Rate includes an Interclass Rate Re-Balancing Charge of \$0.01235 per kWh.

(I)

For luminaires installed on a 30-foot pole:

<u>Mercury Vapor (Rate Code)</u>	<u>Monthly Energy Consumption</u>	<u>Rate Per Lamp</u>	
175 watt 9,625 lumen (11)	73 kWh	\$12.11	(R)
400 watt 22,000 lumen (13)	165 kWh	\$12.54	(R)

<u>High Pressure Sodium (Rate Code)</u>	<u>Monthly Energy Consumption</u>	<u>Rate Per Lamp</u>	
100 watt 14,000 lumen (16)	42 kWh	\$11.69	(R)
200 watt 28,000 lumen (17)	83 kWh	\$12.15	(R)

For any customer who was served under these rates as of the January, 1974 billing period. The Utility will not accept additional Customers where it is necessary to install a pole.

BILLING PROVISIONS

Billing for a unit must be billed to one account. Prorated billing to several accounts for one unit or a combination of units will not be made. Normally billings for the service will be billed on Customer's monthly bill for energy used.

LATE CHARGE

The Utility may charge a fee as set forth in Schedule MC for the late payment of a bill.

(Continued)

<p>Issued: 12-05-14 Effective: 01-01-15 Advice No.: 439-R(2)</p>	<p align="center">Issued By: Shawn M. EliceGUI Vice President</p>	
---	---	--

Schedule GS-PAL
GENERAL SERVICE PRIVATE AREA LIGHTING
(Continued)

SPECIAL CONDITIONS (Continued)

1. **UEC.** The Universal Energy Charge (UEC), pursuant to NAC 702.150 through 702.450, will go to fund the Nevada fund for energy assistance and conservation. Under certain circumstances, Customers will be refunded amounts paid in excess of \$25,000 per calendar quarter. The Commission will administer the collection of the UEC, certify exemptions, and administer refunds. Exemptions are generally kWh sold to:
 - a) Any governmental agency, including the State of Nevada and any political subdivision thereof, and
 - b) Any Customer using electrolytic-manufacturing processes.

Except as provided above, all kWh sold are subject to the charge. The UEC is not subject to the charges applicable under the Special Supplementary Tariff.
2. **Facility Maintenance.** All facilities will be owned and maintained by the Utility. The Utility will replace burned out lamps and otherwise maintain the equipment during regular daytime hours as soon as practicable following notification by the Customer.
3. **Burning Hours.** Burning hours shall be from dusk till dawn, aggregating approximately 4,000 hours a year. Credit will not be allowed for lamp outages.
4. **Customer Permits/Approval.** The Customer shall obtain proper approval for equipment to be located on public thoroughfares and shall obtain all proper permits and rights-of way across private property.
5. **Service.** Service hereunder shall be subject to the Utility's Tariffs.
6. **Outdoor Lighting Equipment.** The Utility will, at its own expense, install, operate and maintain its standard overhead outdoor lighting equipment. Equipment shall consist of an open type fixture, photo-electric switch control and a support mounted on a pole at which 120 volt service is available.

<p>Issued: 06-15-11 Effective: 07-01-11 Advice No.: 411-R</p>	<p>Issued By: Michael J. Carano Director</p>	
--	--	--