

Schedule SL
PUBLIC STREET LIGHTING AND TRAFFIC CONTROL SERVICE

APPLICABLE

To any city, town, unincorporated community, county, state or tribal governing body for electric service to standard installations of luminaries for lighting of public streets, alleys, thoroughfares, public parks and playgrounds, to electric service to traffic control signals, and to electric service to auxiliary devices in accordance with Special Condition 1. After the April, 1984 billing period, the Utility will not accept additional installations under this Tariff where it is necessary to install Mercury Luminaries. Street lighting, traffic control, and auxiliary equipment will not be owned, operated or maintained by NV Energy. Such equipment will be provided, operated and maintained by city, county, tribal, or state governing bodies.

TERRITORY

Entire Nevada Service Area, as specified.

RATES

Monthly billings shall equal the sum of the following charges:

Metered – Bundled Service

Consumption Charge

Base Tariff General Rate	
All kWh per kWh	\$0.00904
Base Tariff Energy Rate	
All kWh per kWh	\$0.05085
Renewable Energy Program Charge	
All kWh per kWh	(\$0.00020)
Temporary Renewable Energy Development Charge	
All kWh per kWh	\$0.00036
Energy Efficiency Charge	
All kWh per kWh	\$0.00188
Deferred Energy Accounting Adjustment	
See schedule DEAA	\$0.00736
Natural Disaster Protection Plan Rate	
All kWh per kWh	\$0.00179
Expanded Solar Access Program Rate	
All kWh per kWh	\$0.00005

(I)

(I)

(R)

(Continued)

Issued: **05-15-25**

Effective: **07-01-25**

Notice No.: **25-02**

Issued By:
Timothy Clausen
Vice President, Regulatory

Schedule SL
PUBLIC STREET LIGHTING AND TRAFFIC CONTROL SERVICE
(Continued)

RATES (Continued)

Non-Metered – Bundled Service

<u>Mercury Vapor Lamps (Rate Code)</u>	Monthly <u>kWh</u>	<u>Rate per Lamp</u>
175 watt (20)	73	\$ 13.62
250 watt (21)	103	\$15.52
400 watt (22)	165	\$19.54

(l)
(l)
(l)

High Pressure Sodium (Rate Code)

100 watt (23)	42	\$11.58
200 watt (24)	83	\$14.22

(l)
(l)

<u>Light Emitting Diode (Rate Code)</u>	Monthly <u>kWh</u>	<u>Rate per Lamp</u>
100 watt (20)	35	\$11.25
200 watt (21)	70	\$13.40
200 watt (22)	70	\$13.40
200 watt (24)	70	\$13.40

(l)
(l)
(l)
(l)

Consumption Component of Rates

The above rates include a Base Tariff Energy Rate of (BTER) \$0.05085 per kWh, the Renewable Energy Program Rate (REPR) of (\$0.00020) per kWh, the Temporary Renewable Energy Development Charge (TRED) of \$0.00036, the Energy Efficiency Charge (EE) of \$0.00188, the Deferred Energy Accounting adjustment Rate (See Schedule DEAA), the Natural Disaster Protection Plan Rate (NDPP) of \$0.00179 per kWh and the Expanded Solar Access Program Rate (ESAP) of \$0.00005 per kWh.

(l)

(R)

Metered – Distribution-only Service

Consumption Charge

Rate includes an Interclass Rate Re-Balancing amount of (\$0.01041) per kWh, the Natural Disaster Protection Plan Rate (NDPP) of \$0.00179 per kWh and the Expanded Solar Access Program Rate (ESAP) of \$0.00006 per kWh.

All kWh per kWh \$0.02130

Non-Metered – Distribution-only Service

Rate includes an Interclass Rate Re-Balancing amount of (\$0.01041) per kWh, the Natural Disaster Protection Plan Rate (NDPP) of \$0.00179 per kWh and the Expanded Solar Access Program Rate (ESAP) of \$0.00006 per kWh.

(Continued)

Issued: **05-15-25**

Effective: **07-01-25**

Notice No.: **25-02**

Issued By:
Timothy Clausen
Vice President, Regulatory

Schedule SL
PUBLIC STREET LIGHTING AND TRAFFIC CONTROL SERVICE
(Continued)

RATES (Continued)

Non-Metered – Distribution-only Service (Continued)

<u>Mercury Vapor Lamps (Rate Code)</u>	Monthly <u>kWh</u>	<u>Rate per Lamp</u>
175 watt (20)	73	\$9.97
250 watt (21)	103	\$10.38
400 watt (22)	165	\$11.32
<u>High Pressure Sodium (Rate Code)</u>		
100 watt (23)	42	\$9.48
200 watt (24)	83	\$10.08
<u>Light Emitting Diode (Rate Code)</u>		
100 watt (20)	35	\$9.87
200 watt (21)	70	\$9.90
200 watt (22)	70	\$9.90
200 watt (24)	70	\$9.90

(l)
(l)
(l)

(l)
(l)

(l)
(l)
(l)
(l)

LATE CHARGE

The Utility may charge a fee as set forth in Schedule MC for the late payment of a bill.

SPECIAL CONDITIONS

1. Installation of auxiliary devices shall be limited to electronic devices including cameras, sensors, wireless communications devices and public safety equipment on a metered Service. If the auxiliary device installations consume in excess of twenty-five percent of the total annual volumetric usage of the Service, then the entire metered load of that Service Location shall be converted to the otherwise applicable General Service schedule and billed accordingly.

Issued: **09-27-24**

Effective: **10-01-24**

Advice No.: **545-R**
546-R

Issued By:
Janet Wells
Vice President, Regulatory